

Table FOR-2.--Forestland Management

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Potential for damage to soil by fire	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
GpF3: Gilpin-----	50	Very severe Slope/erodibility	0.95	Severe Slope/erodibility	0.95	Moderate Texture/slope/sur face depth/coarse fragments	0.50
Peabody-----	30	Very severe Slope/erodibility	0.95	Severe Slope/erodibility	0.95	Moderate Texture/slope/sur face depth/coarse fragments	0.50
GvF: Gilpin-----	55	Very severe Slope/erodibility	0.95	Severe Slope/erodibility	0.95	Moderate Texture/slope/sur face depth/coarse fragments	0.50
Pineville-----	35	Very severe Slope/erodibility	0.95	Severe Slope/erodibility	0.95	Moderate Texture/slope/sur face depth/coarse fragments	0.50
Ha: Hackers-----	90	Slight		Slight		Low Texture/coarse fragments	0.10
MoB: Monongahela-----	80	Slight		Moderate Slope/erodibility	0.50	Low Texture/coarse fragments	0.10
Ms: Moshannon-----	95	Slight		Slight		Low Texture/coarse fragments	0.10
PvE: Pineville-----	80	Moderate Slope/erodibility	0.50	Severe Slope/erodibility	0.95	Moderate Texture/slope/sur face depth/coarse fragments	0.50
RpF3: Rock Outcrop-----	40	Not rated		Not rated		Not rated	

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Potential for damage to soil by fire	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Peabody-----	30	Very severe Slope/erodibility	0.95	Severe Slope/erodibility	0.95	Moderate Texture/slope/sur face depth/coarse fragments	0.50
Gilpin-----	20	Very severe Slope/erodibility	0.95	Severe Slope/erodibility	0.95	Moderate Texture/slope/sur face depth/coarse fragments	0.50
Sc: Senecaville-----	85	Slight		Slight		Low Texture/coarse fragments	0.10
Sm: Senecaville-----	60	Slight		Slight		Low Texture/coarse fragments	0.10
Melvin-----	35	Slight		Slight		Moderate Texture/coarse fragments	0.50
Ss: Sensabaugh-----	75	Slight		Slight		Low Texture/coarse fragments	0.10
TsB: Tilsit-----	70	Slight		Moderate Slope/erodibility	0.50	Low Texture/coarse fragments	0.10
Ud: Udorthents-----	100	Not rated		Not rated		Not rated	
UgC3: Upshur-----	50	Moderate Slope/erodibility	0.50	Severe Slope/erodibility	0.95	Low Texture/coarse fragments	0.10
Gilpin-----	40	Slight		Severe Slope/erodibility	0.95	Low	
UgD3: Upshur-----	50	Moderate Slope/erodibility	0.50	Severe Slope/erodibility	0.95	Low Texture/coarse fragments	0.10
Gilpin-----	45	Moderate		Severe		Low	

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Potential for damage to soil by fire	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Slope/erodibility	0.50	Slope/erodibility	0.95		
UgE3: Upshur-----	45	Severe Slope/erodibility	0.75	Severe Slope/erodibility	0.95	Low	
Gilpin-----	40	Moderate Slope/erodibility	0.50	Severe Slope/erodibility	0.95	Moderate Texture/slope/sur face depth/coarse fragments	0.50
VaD: Vandalia-----	80	Moderate Slope/erodibility	0.50	Severe Slope/erodibility	0.95	Low Texture/coarse	0.10
						fragments	
VbD: Vandalia-----	80	Moderate Slope/erodibility	0.50	Severe Slope/erodibility	0.95	Low Texture/coarse fragments	0.10
W: Water-----	100	Not rated		Not rated		Not rated	